

P W. contenant ce livre quarante et sept feuilles de toutes sortes de racines, fleurs et fruits.

I

47 Blatt

ANHOON
ANETHVM

Ital. Aneto.
Gall. Anet.
Germ. Syllvy sine Gorgelrunt.
Belg. Siler.

Diosc. lib. 3. cap. 56.
Galen. lib. 6. simp. medic.



In Hortis plerisque, ut feniculum
seritur.

Floret Junio Julioq; mensibus.

W




forte Caring. lib. 6. pag. 694. fob. R. no. 884. part. 1.

AMMI COMMUNE Dodonei: qui id verum
DIOSCORIDIS AMMI esse existimat.

Diosc. lib. 3. cap. 59.
Galen. lib. 6. simp. medic.

Hoc sepe felicius & luxuriosius, pro soli &
coeli natura excrevit.

Exoticum est: verum si seratur, restibili fertilitate
perennat.
Flaret media estate, et semen paulo post maturat.





Cuminum silvestre altera Matts. lib. 6 fol. 698. Flor. Arab.

9
L. 1022. Consolida regia vocat fol. 22

consolida regalis flore albo vide quod dicit libell. fol. 902.

consolida regalis flore purpureo libell.



Gall. Roche de marais



PETROSELINI SPECIES *Apium montanum* Dale.
quibusdam:

6.

Nobis videtur Sapifragis
umbelliferis adiungenda.



Nascitur apud Britannos; nobis vero in
hortis feritur.
Floret Julio & Augusto & subinde semen perficit.

ἹΠΠΟΣΕΛΙΝΟΝ: HIPPOSELINUM Mattsiolo.
LEVISTICUM vulgo.

Ital. Levistico.
Gall. & Flandr. Romfey Liseche
Germ. Eybstockel.

Diosc. lib. 3. cap. 64.
Galen. lib. 8. simpl. medic.



Scrivitur nobis in Hortis.
Floret media estate.

SMYRNIVM CRETICVM, Mathioli.





Vishaga smyding mltz. pl. t. f. 710.

ΧΑΙΡΗΦΙΛΛΟΝ ἢ ΓΙΓΓΥΔΙΟΝ
CHAEREFOLIVM seu GINGYDIVM, Diosc. quibusdam.

16.

CEREFOLIVM Dodonaeo & vulgo.

Ital. Cerefolio.
Gall. Cerefoile.
Germ. Kerwiffel.
Belg. Kerwite.

Diosc. lib. 2. cap. 131.
Galen. lib. 6. simp. medic.
Plin. lib. 20. cap. 5.




Familiarissimum nobis est olus, facillime ubiuis
proveniens.
Primo vero satum, mense Junio tulinis floret:
In Augusto autem satum, tota Hyeme vivet, nec ante
Aprilis proximum floret aut semen profert.

ac. 6. fol. 711.

PECTEN VENERIS Mattiolo.
SCANDIX & ACVLA, Dokongo & alijs.

Belg. Mawelofurwil.
Gall. pignre de l'œuf



Reperitur alicubi in pinguis arvis
inter segetes.
Floret mense Maio Junioq, & semen
pauci post perficit.

DAUCI TERTIUM GENVS, Dodonæo.

Germ. *Wogelmist*
Belg. *Curonkous ruyt*.
Gall. *Daucus*



Nascitur passim in campestribus, &
in arvis ac iuxta vias.
Floret Julio atq. Augusto mensibus.

5. 5. fol. 714

DACTYLIS TETRAEVALVIS GENYS DACTYLIS

Genus Dactylis
Species Dactylis



ΣΤΑΦΥΛΙΝΟΣ ΗΜΕΡΟΣ
PASTINACA SATIVA

Disco. lib. 3. cap. 50.
Galen. lib. 8. Sup. mede.

Ital. Pastinaca.
Gall. Pastinacis ou Pastinadis.
Germ. Pastinack seu Pastinackwur.
Belg. Pastinackwur.



Seritur in hortis in ciborum usum.
Floret altero quam sata est anno, mensibus
Junio Julioq.

Gall. Carota





Pastinaca latifolia Schum. n. 6. p. 16. pag. 721.

Eden. pag. 669.

fol. Carote jaune



Carota vulgaris. 28. 5. fol. 722

Carota - bastmaad satma vocal fol. 883.

17

SISER MAGNUM, Mathioli.

17



Lib. 6. fol. 723

17

SISER PARVVM

Gall. Chörig pottiv.
Germ. Chörlin und Gidelin.
belg. Süßwurzwortelkand.

18.



Seruntur in Cortis.
Radicule mense Maio eruntur in esum: quod nisi fiat &
immotæ maneat, flores et semina in tulio Augustoq;
preferunt.


R. 6. 67. fol. 723.

Dod. 4. 3. p. 11.

18

ANGELICA vulgò. SMYRNIVM, Cordo.
LASER GALLICVM, quibusdam.
SILPHIO veterum cognata planta.

Ital. Angelica : Gall. Angélique.
Germ. Angelik, das Gyllygah gahstz WirtzeC oder WraßWurtz.
Belg. Angolica.



Val. Cordus. Hist. plant. lib. 2.
cap. 155.
Conr. Gesnerus in Hortis Germ.

Nascitur in montibus
seritur in Hortis.

Floret mense Maio tuncq, tertia demum postquam
sata est estate. Semen vero maturescit mense
Julio. Quod antequam maturaverit, radix euellenda
est, ut in futurum usum siccatur & conservetur.



ANGELICA
ex horto Joannis van Eede
cum Brugensis.

Floret quando radicans.

ANGELICA SILVESTRIS

Belg. Wildo Angelica.



Nascitur partim sponte, in Sumentibus atq;
 opacis silvis.
 Floret Julio Augustoq; mensibus.



Angelica silvestris Matt. 6. fol. 725.

BRANCA VRSINA . Officinarum, & vulgò.
PSEVDACHANTVS & ACHANTVS GERMANICA quibusdam.
SPHONDYLIVM Diosc. alijs. Dalic.

Germ. Bwenkclau.
belg. Bepuy rcaulw.
all. Branche rcaulw.

Diosc. lib. 3. cap. 72.
Galen. lib. simp. medic.

Reperitur passim in agrorum & pratorum marginibus
& in siluis.
Fleret et semen fert. tunc in Iulij mensibus.



KOPION & KOPIANON
CORIANDRUM

23.

Ital. Coriandro.
Gall. Coriandre.
Germ. & Belg. Coriam.
Dor.

Diosc. lib. 3. cap. 60.
Galen. lib. 7. Simp. medic.



Nasitur alicubi sponte in arvis: nobis in hortis
tantum seritur: et laeto plerumq. solo gaudet.
Floret mense Julio Augustoq. Et paulo
post semen perficit.



24.

Lib. G. 739



Grindelia fruticosa, fortassis fasciculata xerophila delissima.

ΛΙΓΥΣΤΙΚΟΝ, & Galeo LIBΥΣΤΙΚΟΝ
LIGVSTICVM VERVM
MattSiohi ac Dolongi.

26.

Diosc. lib. 3. cap. 49.
Galen. lib. 8. simp. medic.



Plurimum in Liguria nascitur, in monte Apennino Alpidus conter-
mino, in Italia, Germaniam urbem.

ΠΕΥΚΕΔΑΝΟΣ
PEUCEDANVM &
FOENICVLVM PORCINVM aut PINASTELLVM

27

Ital. Peucedano.
Gall. Quinqu' de porreau.
Germ. Gausfrang und Gersfrangze.
Belg. wortels vintkel.

Diosc. lib. 3. cap. 74.
Galen. lib. 8. simp. medic.



Qignitur sponte in montibus opacis: nobis
autem in Hortis tantum colitur.
Floret tunc Augustiq; mensibus.

6. 6. sic 746.



M̃HON
MEVM

LIBANOTIS PRIMA Dodonco. lib. cap.
TORDILION Cordo. lib. cap.
DAVCI SPECIES Trago. lib. cap.
Pentadamm dahos.

Italio Meo.
Germ. Baurbuntz.
Belg. Baurbuntz.

Diosc. lib. 1. cap. 3.
Galen. lib. 7. simp. medic.



Montibus Germaniæ & collibus Louanio proximis
frequens est. FOENICVLI PORCINI nomine
vulgò cognitum.

Floret mense Augusto.

serch Ethiopianum

29

29



Tab. 6. fo. 748

29

ΣΕΣΕΛΙ ΜΑΣΣΑΛΙΕΣΤΙΚΟΝ
SESELI MASSILIENSE *fenel*

30.

Ital. Sefeli.
Gallia Narbonen. Serbarys Foeniculum tortu-
osum.
Germ. Fenchel.

Diosc. lib. 3. cap. 53.



Nasitur in asperis et rugis Gallia Narbo-
nensis locis, precipue circa Massiam, unde
et nomen sortitum est.
Floret circa mediam estatem.



26 6. f. c. 749.

SILER MONTANVM, officinis.
SESELEOS, vt apparet, SPECIES.





MEVM Alterum Spurium



hb. s. fol. 769

MEVM
Meeblinensium.
Saxifrage potius spes.



Scratur nobis in Hortis.
Floret mense Augusto.



Vit. Hicini alba spirium Halim. Sobolci. fib. 6. pag. 759.





Handwritten botanical notes in a cursive script, likely a Latin description of the plant's characteristics.

Small handwritten text at the bottom left corner, possibly a reference or date.





KΡΙΘΜΟΝ & ΚΡΙΤΑΜΟΝ
CRITHMUM & BATI

Ital. Finocchio marino, & Herba di san Pietro.
Gall. Basilic sine fenouil marin, ou fenouil de mer.
Germ. Basilic, oder Meerfenouil.

Diosc. lib. 2. cap. 122.
Galen. lib. 6. simp. medic.



Nascitur in maritimis & petrosis, seriturq; in Hortis.
Floret in Hortis mense Augusto: alibi vero, utpote in
solo natali, maturius.

MILLEFOLIUM VVLGARE, & (vt multis videtur)
MILLEFOLIUM STRATIOTES Diosc.

Ital. Millefoglio.
Gall. millefeuille
Germ. Saubw. Saffigraß.
Belg. Saffrauw

Flore rubente.

Flore candido.

Diosc. lib. 4. cap. 88.
Galen. lib. 8. simp. medic.

Nascitur passim in arvis ac iuxta vias, ea
presertim que flore candido est: altera
enim rarior est.

Floret vtraque à mense Junii in totam
fere estatem.



MILLEFOLIUM AQUATICUM LUTEUM, à nemine
descriptum.




† Stagnantibus aquis supernatant.

Lib. 6. fol. 770. Paul. Lamy del. et sculp.



Fig. 6. *Milkygouli aquatica* aliqua species



MYRIOPHYLLON ALTERVM, MattSoli.
VIOLA PALVS = TRIS quibusdam, Dodonæo.

Germ. Waasserfenzel
belg. Waasser
oder Waasser gansb.
filibrey.



Stagnantibus aquis supernatat.
Floret mense Maio.

ACHILLEA *Mattbioli*
TANACETVM MINVS, *Dodoneo.*

Belg. Witte wyndarschiet.



Scrutar nobis in Hortis.

Floret tunc Augustoq. mensibus.

AGERATVM DIOSC. quibusdam.
EVPATORIVM Mesues, Mattiolo.
BALSAMITA MINOR, Dodonae.

Ital. Herba giulia.
Belg. Chymre balsam.




Nasitur alibi sponte: nobis in Hortis tantum.
Floreit Julio Augustiq; mensibus.

ΕΛΙΧΡΥΣΟΝ
ELICHRYΣVM
AMARANTHVM CROCEVM Galeno.

Diag. lib. 4. cap. 47.
Plin. lib. 21. cap. 25.
Galen. lib. 6. simp. medic.

Mauiis

Mauiis



Nasitur vtrūq; in asperis ac torrentium
ripis.
Fleret circa medium estatis.

FILIPENDULA
radice candida.

28



20. 4. fol 783.

46

ΚΩΝΕΙΟΝ
CICUTARIA

4)

Ital. Cicuta
Gall. Cigué
Germ. Zigeuerkraut
Szwedling bei Weichsel
Belg. Szwedling vanden
Coortw.

Diosc. lib. 4. cap. 67. Et lib. 6. cap. 11.
Galen. lib. 7. simp. medic.



Floret plerumq. mense Iulio.

Pasim iuxta urbium moenia, inter
rudera ac iuxta sepes prouenit.



Ex
Biblioth. Regia
Berolinensi.

Crenaria mbr. C. 8. f. 789.

79

